

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/029,035	12/28/2001	Young Ho Bae	3449-0921PUS1	3483	
2592 BIRCH STEWART KOLASCH & BIRCH PO BOX 747 FALLS CHURCH, VA 22040-0747			EXAM	EXAMINER	
			KACKAR, RAM N		
			ART UNIT	PAPER NUMBER	
			NOTIFICATION DATE	DELIVERY MODE	
			03/12/2009	ELECTRONIC	

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail  $\,$  address(es):

mailroom@bskb.com

## Application No. Applicant(s) 10/029.035 BAE, YOUNG HO Office Action Summary Art Unit Examiner Ram N. Kackar 1792 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 1/7/2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1.4-8.10-12.15 and 16 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 1,4-8,10-12,15 and 16 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Information Disclosure Statement(s) (PTO/S5/08)
 Paper No(s)/Mail Date \_\_\_\_\_\_.

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Application/Control Number: 10/029,035 Page 2

Art Unit: 1792

#### DETAILED ACTION

#### Drawings

The drawing corrections received on 10/19/2004, 5/11/2005, 5/3/2006, 12/8/2006, 10/12/2007, 4/16/2008 and 1/7/2009 are not acceptable. The drawing changes do not remove the deficiencies of the original drawings dated 12/28/2001 submitted with the application.

The subject matter of this application admits of illustration by a drawing to facilitate understanding of the invention. Applicant is required to furnish a drawing under 37 CFR 1.81(c). No new matter may be introduced in the required drawing. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d).

The drawing deficiencies at minimum include drawings for load and unload of the substrate indicating clearly, the elements claimed, so as to enable one to locate them on the drawings. These should include elements whose distances and sizes are claimed. The drawings should clearly show complete susceptor, sliding portion, stopping pins and groove in a profile in order to understand their relative locations. It is suggested that the drawings should depict features of the invention by numerals with description in the specification.

It is further required that no new matter is added.

The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

The latest drawing changes dated 1/7/2009 has 4 sheets. However, the objections being raised have not been fully addressed. For example Figs 12A and 12B appear to show less than half of the susceptor (The raised portion appears to be all around in Figs 2 and 5).

Art Unit: 1792

It is recommended that drawings should be corrected once for all including marked up original drawings, clean copy of marked up drawings and new or replaced drawings.

## Specification

35 U.S.C. 112, first paragraph, requires the specification to be written in "full, clear, concise, and exact terms." The specification is replete with terms that are not clear, concise and exact. The specification should be revised carefully in order to comply with 35 U.S.C. 112, first paragraph. It is further required that no new matter is added. Piece meal changes to the specification submitted on 3/1/2004, 10/19/2004, 5/11/2005, 5/3/2006, 12/8/2006, 10/12/2007, 4/16/2008 and 1/7/2009 have not made it more clear concise and exact as per the requirement.

The amendment filed 1/7/2009 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The amendments are done to paragraphs 1-2 and 12-51. The specification is heavily amended and unsubstantiated material added with drawings which is incorrect.

Applicant is required to cancel the new matter in the reply to this Office Action.

Load/Unload and process sequence does not appear to match the original. The load/Unload of a substrate is done through the lift pins and not the susceptor directly. Further height of the lift pins could ensure that no sliding could take place while loading a substrate.

It is recommended that the specification is corrected once for all and include original specification (12/28/2001), a marked up copy and clean copy of the complete specification. Application/Control Number: 10/029,035 Page 4

Art Unit: 1792

### Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1, 4-8, 10-11 and 15-16 are rejected under 35 U.S.C. 112, second paragraph, as

being indefinite for failing to particularly point out and distinctly claim the subject matter which

applicant regards as the invention.

In claim 1 the limitation "wherein the robot arm supports a portion of the glass substrate

with a non-supported edge portion freely hanging over the robot arm such that as the robot arm

moves in a forward direction to transfer the glass substrate onto the susceptor, the non-supported

edge portion of the glass substrate slides on the sliding portion of the susceptor and is stopped by

at least one stopping pin located at the stopping position" is not understood.

It appears that while loading the substrate the substrate is held on lift pins and not on the

susceptor directly.

In claim 1 the second planer portion being horizontally contiguous with the first planer

portion is not understood.

In claim 15 the robot arm is recited to be "configured to incline the glass substrate at

substantially 85 degrees". However, there is no disclosure that the robot arm is configured in any

way to cause this to happen. As best understood, the substrate bends due to its own weight.

Further, since the angle of bend depends upon the weight of the substrate, it may not always be

85 degrees, (particulars of content are not patentable)

Application/Control Number: 10/029,035 Page 5

Art Unit: 1792

It is noted that the substrate, being a content of the claimed apparatus does not impart patentability to the apparatus.

Expressions relating the apparatus to contents thereof during an intended operation are of no significance in determining patentability of the apparatus claim. Ex parte Thibault, 164 USPQ 666, 667 (Bd. App. 1969).

## Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
  obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1, 4-8, 10-11, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over applicants admitted prior art (AAPA) in view of Tepman et al (US 5589224) or alternatively in view of DuBois et al (US 5855687).

Applicants admitted prior art (AAPA) as disclosed in Figs 1 to Fig 4 A, B, C and D and the specification paragraphs 2-23 discloses all limitations of these claims except the groove to collect material disposed on the susceptor and possibly increasing the dimension of the so called 'sliding part'.

Tepman et al disclose a vacuum deposition apparatus for PVD, CVD, sputtering, ion implanters etc (Col 1 lines 10-19), lift pins (Fig 1-30), robot arm (Fig 4 and Col 2 lines 13-16), stopping pin (40 being used to align the substrate) and groove around susceptor to collect

Application/Control Number: 10/029,035

Art Unit: 1792

deposition so that build up on the surface of the susceptor may not cause problem by sticking to the substrate (Fig 3-38 and Col 4 lines 54-63).

Similarly DuBois et al disclose a vacuum deposition apparatus for CVD with heatable susceptor (Col 3 line 22-42 and lines 38-40), lift pins and robot arm (Col 5 lines 49-51), groove around susceptor to collect deposition so that build up may not cause problem by sticking to the substrate (Col 4 lines 43-48).

Therefore it would have been obvious for one of ordinary skill in the art at the time of invention to have grooves on the susceptor in order to avoid problems of substrate sticking.

Regarding the limitation "wherein the robot arm supports a portion of the glass substrate with a non-supported edge portion freely hanging over the robot arm such that as the robot arm moves in a forward direction to transfer the glass substrate onto the susceptor, the non-supported edge portion of the glass substrate slides on the sliding portion of the susceptor and is stopped by at least one stopping pin located at the stopping position" in as far as this points to any structural feature all three AAPA, Tepman et al and DuBois et al show a robot arm of cantilevered design and will behave in the same way as in claimed operation. Therefore it does not point to any structural feature not disclosed in AAPA, Tepman et al and DuBois et al.

Regarding the limitation "wherein a length of said sliding portion, measured from said groove, is about 10 mm", according to the applicant the sliding distance in the prior art is 5 mm.

Regarding the above issue, to increase the sliding distance from 5mm to 10mm is only an optimization to improve loading of the substrate. This kind of optimization has been considered obvious.

Application/Control Number: 10/029,035

Art Unit: 1792

Regarding the angle of substrate bending at least the bending and stopping at the stopper are disclosed in the prior art even though these are functional limitations and no patentable weight can be given to them.

Regarding the shape of the grooves: It was held in re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966) that the shape was a matter of choice which a person of ordinary skill in the art would have found obvious absent persuasive evidence that the particular shape was significant. (Also see MPEP 2144.04(d)).

Similarly, regarding change in size/proportion: It was held in re Gardner v. TEC Systems, Inc., 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), cert. denied, 469 U.S. 830, 225 USPQ 232 (1984) that where the only difference between the prior art and the claims was a recitation of relative dimensions of the claimed device and a device having the claimed relative dimensions would not perform differently than the prior art device, the claimed device was not patentably distinct from the prior art device.

6. Claims 4 and 10 are also rejected under 35 U.S.C. 103(a) as being unpatentable over applicants admitted prior art (AAPA) in view of Tepman et al (US 5589224) or alternatively in view of DuBois et al (US 5855687) as applied to claims (1, 4-8, 10-11, 15 and 16) and further in view of Rempei Nakata (US 5119761).

Tepman et al and DuBois et al as discussed above do not disclose the susceptor to be made of Quartz.

Quartz susceptors are common for thermal processing for its thermal insulation properties. Art Unit: 1792

Rempei Nakata discloses a quartz susceptor (Fig 12-106 and Col 1 lines 44-49).

Therefore it would have been obvious for one of ordinary skill in the art at the time of invention to have a susceptor of quartz for its excellent thermal properties of insulation.

### Response to Amendment

Applicant's arguments filed 1/7/2009 have been fully considered but they are not persuasive.

Applicant argues that the stepped-portion of the susceptor 30 (Figures 6-10 clearly illustrate the stepped-portion) occurs at only one edge of the susceptor and is not around an entire circumference of the susceptor.

In response it is noted that the original specification does not show this. Therefore it is a new matter.

Applicants other arguments that the groove in the prior art is for different reason are not persuasive since the groove is for collection of deposition so as to prevent sticking.

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

Art Unit: 1792

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this  $\,$ 

final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Ram N. Kackar whose telephone number is 571 272 1436. The

examiner can normally be reached on M-F 8:00 A.M to 5:P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Parviz Hassanzadeh can be reached on 571 272 1435. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Ram N Kackar/

Primary Examiner, Art Unit 1792